

Levo Dealer:

Date:

Dealer reference / Client name:

Anglikerstrasse 20
CH-5610 Wohlen
Phone: +41 56 618 44 11
Fax: +41 56 618 44 10
e-mail: office@levo.ch

Order number:

Standard configuration


60.001.6801

USD 24.782,80

- Power Base: width 66 cm, length 110 cm (incl. footplate)
- E/E Wheelchair: powered driving, sitting and standing
- Seat plate and backrest upholstery
- Flip-up armrests
- Height adjustable armrests
- Backrest length adjustment and armrests height adjustment
- Manual seat height adjustment
- R-Net control system from PG Drives Technology with color display
- 55 Ah Batteries and Charger
- Standard colors: red, blue or black
- Flip-up footrest
- Chest strap and knee support with wedge



Anthropometric Data



1 Hip width

Please check the correct box according to the measured hip width in a sitting position:

33 cm 50 cm

Seat width:

38 cm Option 0,00
44 cm Option 0,00
50 cm Option 0,00

2 Upper leg length

Please fill in the measured upper leg length, seat depth is 3 cm shorter.

35 cm 59 cm

Seat depth:

36.0 cm Option 0,00
38.2 cm Option 0,00
40.4 cm Option 0,00
42.6 cm Option 0,00
44.8 cm Option 0,00
47.0 cm Option 0,00
47.0 cm Option 0,00
49.2 cm Option 0,00
51.4 cm Option 0,00
53.6 cm Option 0,00
55.8 cm Option 0,00
58.0 cm Option 0,00

3 Lower leg length

Please fill in the measured lower leg length:

37 cm 64 cm

The seat height is dependent on the lower leg length. With a longer lower leg length the seat is higher.

Lower leg length in cm	37,0-44,2	46,0-47,8	49,6-51,4	53,2-55,0	56,8-58,6	60,4-62,2	64,0
Seat height in cm	56	58,5	61	63,5	66	68,5	71

4 Elbow height

Standard armrest height is 20 cm

17 cm 26 cm

Backrest height, for standard backrest

Please measure the distance between seat plate and lowest shoulder blade point:

cm

User weight


The weight of the user determines the force of the support wheel gas springs.

The maximum user weight is 120 kilograms. Please fill in the box.

kg

Please measure the anthropometric data as shown. If possible, the user should be in a sitting position wearing shoes.

Joystick position



- ① Swing-away, offers more space for transfers and allows to drive closer to tables
- ② Joystick protection guard, shock protection for joystick, protects the users hands

Right	<input type="checkbox"/>	Standard	•
Left	<input type="checkbox"/>	Option	0,00
	<input type="checkbox"/>	60.005.6810	390,61
	<input type="checkbox"/>	60.012.6860	109,71

Attendant Controls



R-Net Attendant control
Connector Block for R-Net, needed for special controls

For special controls, see our special controls order form.

<input type="checkbox"/>	32.068.1850	909,48
<input type="checkbox"/>	32.068.1880	290,12

Speed

- 6 km/h
- 8 km/h
- 10 km/h

<input type="checkbox"/>	Option	0,00
<input type="checkbox"/>	Option	0,00
<input type="checkbox"/>	Standard	•

Batteries

55 Ah
Without batteries, be aware net price is lower after discount
Without charger, be aware net price is lower after discount

<input type="checkbox"/>	Standard	•
<input type="checkbox"/>	60.106.6810	-500,32
<input type="checkbox"/>	60.111.6710	-137,80

Frame color

- Red
- Blue
- Black

<input type="checkbox"/>	Standard	•
<input type="checkbox"/>	Option	0,00
<input type="checkbox"/>	Option	0,00

- Blue metallic
- Green metallic
- Red metallic
- Silver metallic

<input type="checkbox"/>	60.008.0020	485,48
<input type="checkbox"/>	60.008.0020	485,48
<input type="checkbox"/>	60.008.0020	485,48
<input type="checkbox"/>	60.008.0020	485,48

- Orange reflex
- Lemon reflex
- Silver reflex

<input type="checkbox"/>	60.008.0030	506,68
<input type="checkbox"/>	60.008.0030	506,68
<input type="checkbox"/>	60.008.0030	506,68

Other RAL color

RAL: _____ 60.008.0010 315,88

Wheels



- ① Block profile drive wheels
- ② V-profile drive wheels
- ③ Curb Climber

<input type="checkbox"/>	Standard	•
<input type="checkbox"/>	Option	0,00
<input type="checkbox"/>	60.002.0100	1.144,80

Lights




Lights and indicators for outdoor use

<input type="checkbox"/>	60.012.6810	789,91
--------------------------	-------------	--------

Seating


Electrical adjustments



- Powered seat lift 150 mm
- ① Powered leg rest, makes an angle adjustment of 90-180° possible, independent from the backrest
- ② Combination of powered reclining back and powered leg rest
Enables a complete lying position and the function lying to standing is integrated.
Recommendation: order with additional V-Trak arms and head rest.

<input type="checkbox"/>	60.012.6820	2.238,08
<input type="checkbox"/>	60.012.6870	1.426,23
<input type="checkbox"/>	60.012.6830	3.368,15

Backrests



- Backrest upholstery
- ① V-Trak Standard backrest, height 40 cm
- ② V-Trak Medium backrest, height 60 cm
- V-Trak High backrest, height 80 cm
- V-Trak Axxis reduced height backrest, height 31 cm
- V-Trak Axxis low backrest, height 40 cm
- V-Trak Axxis high backrest, height 61 cm
- ③ V-Trak Axxis Deep contour

<input type="checkbox"/>	Standard	•
<input type="checkbox"/>	60.009.0020	1.039,44
<input type="checkbox"/>	60.009.0030	1.059,05
<input type="checkbox"/>	60.009.0040	1.133,46
<input type="checkbox"/>	60.009.0070	1.250,91
<input type="checkbox"/>	60.009.0050	1.275,07
<input type="checkbox"/>	60.009.0060	1.516,44

	Size ▲	M	L	XL	XXL
Type		inside 26 - 37 cm	inside 30 - 40 cm	inside 33 - 46 cm	inside 35 - 52 cm
a High backrest	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b Reduced backrest	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<input type="checkbox"/>	60.009.0120	1.153,28
<input type="checkbox"/>	60.009.0140	1.153,28

Without backrest, be aware net price is lower after discount

<input type="checkbox"/>	60.109.6810	-253,34
--------------------------	-------------	---------

Backrest options



① Backrest extension 15 cm, for standard backrest

<input type="checkbox"/>	32.062.3815	304,96
<input type="checkbox"/>	32.062.4415	304,96
<input type="checkbox"/>	32.062.5015	304,96

Options for backrest



② Backrest extension with push handle bar and upholstery, for standard backrest

Seat width ▲	38	44	50
Seat depth ▲	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15 cm	32.068.0761	32.068.0771	32.068.0781
25 cm	32.068.0762	32.068.0772	32.068.0782
35 cm	32.068.0763	32.068.0773	32.068.0783

680,73

696,31

716,67

V-Trak backrest extension, 20 cm/8"

Additional V-Trak arms, recommended when selecting reclining back

<input type="checkbox"/>	32.069.99	485,48
<input type="checkbox"/>	60.009.6810	680,20

Seat cushion with memory foam depending on the seat depth and seat width



Seat width ▲	38	44	50
Seat depth ▲	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
S	30.102.9273	30.102.9274	30.102.9275
M	30.102.9276	30.102.9277	30.102.9278
L	30.102.9281	30.102.9282	30.102.9283
XL	30.102.9284	30.102.9285	30.102.9286

315,88

Additional seat cushion cover

Seat width ▲	38	44	50
Seat depth ▲	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
S	30.102.9461	30.102.9462	30.102.9463
M	30.102.9464	30.102.9465	30.102.9466
L	30.102.9467	30.102.9468	30.102.9469
XL	30.102.9471	30.102.9472	30.102.9473

192,18


Urin proof seat cushion cover

Seat width ▲	38	44	50
Seat depth ▲	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
S	30.102.9481	30.102.9482	30.102.9483
M	30.102.9484	30.102.9485	30.102.9486
L	30.102.9487	30.102.9488	30.102.9489
XL	30.102.9474	30.102.9475	30.102.9476

192,18

without seat cushion

Headrest



① V-Trak headrest standard, only in combination with V-Trak Axxis backrest

② V-Trak headrest winged, only in combination with V-Trak Axxis backrest

Track extension for V-Trak head support, for V-Trak 60 and 80 cm

<input type="checkbox"/>	02.067.116	468,52
<input type="checkbox"/>	02.067.117	506,68
<input type="checkbox"/>	02.009.0028	138,44

Lateral supports and hardware



V-Trak lateral support, pad and cover

<input type="checkbox"/>	32.068.0030	627,73
<input type="checkbox"/>	32.068.0040	627,73

V-Trak lateral support, pad and cover

<input type="checkbox"/>	32.068.0010	627,73
<input type="checkbox"/>	32.068.0020	627,73

Knee support




Standard knee support

<input type="checkbox"/>	Standard	•
--------------------------	----------	---

① Rectangular knee wedge

<input type="checkbox"/>	50 x 100	Option	0,00
<input type="checkbox"/>	60 x 100	Option	0,00
<input type="checkbox"/>	80 x 100	Option	0,00
<input type="checkbox"/>	50 x 150	Option	0,00
<input type="checkbox"/>	80 x 150	Option	0,00



② Conical knee wedge, gives more support, in particular with spasticity

50-100 x 100
90-140 x 100
130-180 x 100

<input type="checkbox"/>	60.011.0020	21,94
<input type="checkbox"/>	60.011.0020	21,94
<input type="checkbox"/>	60.011.0020	21,94

③ Knee support "Pro"

Foam size S (10 - 12 cm)
Foam size M (14 - 16 cm)

<input type="checkbox"/>	60.011.0030	454,21
<input type="checkbox"/>	60.011.0030	454,21

LEVO[®]

Foot plate

Foot plate depth

27 cm
20 cm

<input type="checkbox"/>	Standard	•
<input type="checkbox"/>	60.003.0090	43,88

Foot plate width, 30 cm only possible with lower leg lengths between 23 and 27 cm

22 cm
30 cm

<input type="checkbox"/>	Standard	•
<input type="checkbox"/>	60.003.0110	329,13

Foot plate angle, foot plate is angle adjustable in all three positions

80°
90°
100°

<input type="checkbox"/>	Option	0,00
<input type="checkbox"/>	Standard	•
<input type="checkbox"/>	Option	0,00

① Foot plate wedge, better positioning with spasticity or foot deformation

50-100 x 80
80-130 x 80

<input type="checkbox"/>	30.101.8171	42,40
<input type="checkbox"/>	30.101.8172	42,40

② Foot protection frame, protects the users feet

<input type="checkbox"/>	60.003.0100	329,13
--------------------------	-------------	--------

Non-slip footrest surface

<input type="checkbox"/>	02.001.0702	47,70
--------------------------	-------------	-------



Accessories

① Skirt guard

S - M
L - XL

<input type="checkbox"/>	32.068.0830	196,95
<input type="checkbox"/>	32.068.0840	196,95

② Upper leg support

Right
Left

<input type="checkbox"/>	32.068.1751	351,07
<input type="checkbox"/>	32.068.1752	351,07

③ Chest role

38	44	50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32.068.1761	32.068.1762	32.068.1763

551,20

④ Foot guide

Small Right
Small Left
Large Right
Large Left

<input type="checkbox"/>	32.069.95	196,63
<input type="checkbox"/>	32.069.96	196,63
<input type="checkbox"/>	32.070.0040	214,12
<input type="checkbox"/>	32.070.0041	214,12

⑤ Push handle bar, can be used with Standard and V-Trak backrest

38	44	50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32.068.0791	32.068.0792	32.068.0793

148,72

⑥ Rearview mirror

Right
Left

<input type="checkbox"/>	32.068.0120	103,88
<input type="checkbox"/>	32.068.0120	103,88

⑦ Swing-away table tray, can only be mounted on the opposite side of the joystick position

38	44	50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32.068.1061	32.068.1062	32.068.1062

Right
Left

<input type="checkbox"/>		761,08
<input type="checkbox"/>		761,08

Swing away table tray, for centre joystick box

<input type="checkbox"/>	32.068.1070	4.006,80
--------------------------	-------------	----------

⑧ Fixed table tray

38	44	50
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32.062.0038	32.062.0044	32.062.0050

230,44

Vehicle tie-down kit

<input type="checkbox"/>	32.068.1612	365,39
--------------------------	-------------	--------

⑨ Support for QLK docking system, without assembly cost
 Assembly cost for EZ lock brackets

<input type="checkbox"/>	32.068.2050	1.162,93
<input type="checkbox"/>	33.000.0000	127,20

Cover against clamping danger

<input type="checkbox"/>	Option	0,00
--------------------------	--------	------

⑩ Joystick top

T-bar
Stick
Softball
Mushroom
Chin
Ball

<input type="checkbox"/>	20.067.22	121,37
<input type="checkbox"/>	20.067.23	79,18
<input type="checkbox"/>	20.067.24	79,18
<input type="checkbox"/>	20.067.25	79,18
<input type="checkbox"/>	20.067.26	58,09
<input type="checkbox"/>	20.067.27	58,09



LEVO[®]

